



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/874,627

06/04/2001

Ciaran McGloin

X-677-1P US

6593

24309

7590

03/09/2006

XILINX, INC

ATTN: LEGAL DEPARTMENT

2100 LOGIC DR

SAN JOSE, CA 95124

EXAMINER

SHANKAR, VIJAY

ART UNIT

PAPER NUMBER

2673

DATE MAILED: 03/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20060131

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The Examiner talked to applicant's attorney Lois Cartier on 1-31-2006 about the " Figure 97 " on page 15, line 4 in the specification.

The Examiner's Amendment was done to correct the problem. Now " Figure 97 " on page 15, line 4 in the specification is " Figure 9A " .

VIJAY SHANKAR
Primary Examiner
Art Unit: 2673

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lois Cartier on 1-31-2006.


The application has been amended as follows:

- 1) In the Specification, on page 15; line 3; insert " 97" after "text".
- 2) Page 15; line 4; Insert " of " before " Figure".
- 3) Page 15; line 4; Delete " 97" after " Figure".
- 4) Page 15; line 4; Insert " 9A " after "Figure".

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to VIJAY SHANKAR whose telephone number is (571) 272-7682. The examiner can normally be reached on M-F 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, BIPIN SHALWALA can be reached on (571) 272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read 'Vijay Shankar', with a long horizontal flourish extending to the right.

VIJAY SHANKAR
Primary Examiner
Art Unit 2673

VS